# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 8 (replaces version 7)

Revision: 19.12.2022

GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: CarClean Black 41 SF · UFI: F1A4-806Y-600V-E6XF · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Cleaning material/ Detergent · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Pramol-Chemie AG Industriestrasse 3 CH-9602 Bazenheid/SG Tel +41 71 931 70 30 Fax +41 71 931 44 54 • Further information obtainable from: Abteilung für Produktsicherheit info@pramol.com Tel. 071 931 70 30 · 1.4 Emergency telephone number: Centre suisse d'information toxicologique, Zurich +41 (0)44 251 51 51 ou 145 (depuis la Suisse) Schweizerisches Toxikologisches Informationszentrum, Zürich +41 (0)44 251 51 51 oder aus der Schweiz: Tel 145

Centro Svizzero d'informazione tossicologica +41 (0)44 251 51 51 o dalla Svizzera: Tel 145

**SECTION 2: Hazards identification** 

· 2.1 Classification of the substance or mixture

• *Classification according to Regulation (EC) No 1272/2008* The product is not classified, according to the GB CLP regulation.

### · 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

· Dangerous components:			
	CAS: 56-81-5 EINECS: 200-289-5 Reg.nr.: 01-2119471987-18	glycerol substance with a Community workplace exposure limit	25-50%
	CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23	<i>Propylene glycol</i> substance with a Community workplace exposure limit	10-20%
	CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	propan-2-ol Flam. Liq. 2, H225; () Eye Irrit. 2, H319; STOT SE 3, H336	≥5-<10%
ľ	(Contd. on page 2		

Page 2/6

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 8 (replaces version 7)

Revision: 19.12.2022

Trade name: CarClean Black 41 SF

• Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 1)

# **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6:** Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 3)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 8 (replaces version 7)

Revision: 19.12.2022

Trade name: CarClean Black 41 SF

(Contd. of page 2)

## **SECTION 8: Exposure controls/personal protection**

## · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

### 56-81-5 glycerol

WEL Long-term value: 10 mg/m<sup>3</sup>

#### 57-55-6 Propylene glycol

- WEL Long-term value: 474\* 10\*\* mg/m<sup>3</sup>, 150\* ppm
  - \*total vapour and particulates \*\*particulates

## 67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m<sup>3</sup>, 500 ppm Long-term value: 999 mg/m<sup>3</sup>, 400 ppm

• Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

• Appropriate engineering controls No further data; see item 7.

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- Hand protection Not required.

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

## **SECTION 9: Physical and chemical properties**

General Information	$\Gamma_1 \cdot 1$
Physical state	Fluid
Colour:	Red
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	d boiling
range	82 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	2.6 Vol %
Upper:	12.6 Vol %
Flash point:	36 °C
Ignition temperature:	371 °C
Decomposition temperature:	Not determined.
pH at 20 °C	7
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.

GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

*Version number 8 (replaces version 7)* 

Revision: 19.12.2022

Trade name: CarClean Black 41 SF

	(Contd. of page
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C:	$1.116 \text{ g/cm}^3$
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an	d
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent separation test:	
Organic solvents:	80.0 %
Water:	20.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	'S
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 5)

<sup>----</sup>GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 8 (replaces version 7)

Revision: 19.12.2022

(Contd. of page 4)

Trade name: CarClean Black 41 SF

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- *STOT-single exposure Based on available data, the classification criteria are not met.*
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

## • 13.1 Waste treatment methods

· Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Smaller quantities can be disposed of with household waste.

• Uncleaned packaging:

· Recommendation:

*Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.* • *Recommended cleansing agents: Water, if necessary together with cleansing agents.* 

SECTION 14: Transport information				
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void			
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void			
· 14.3 Transport hazard class(es)				
· ADR, ADN, IMDG, IATA · Class	Void			
		(Contd. on page 6)		

# Safety data sheet according to 1907/2006/EC, Article 31

accoraing to 1907/2000/EC, A

Printing date 19.12.2022

Version number 8 (replaces version 7)

Revision: 19.12.2022

Trade name: CarClean Black 41 SF

		(Contd. of page 5)
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
· UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

preservation agents (PYRITHIONE SODIUM, BENZISOTHIAZOLINONE)

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

<5%

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • \* Data compared to the previous version altered.