\*

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 13 (replaces version 12)

Revision: 19.12.2022

<b>SECTION</b>	1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product id	entifier
• <b>UFI:</b> PAH2-S • <b>1.2 Relevant i</b> No further rele	CarWash Shampoo 70 08A-E00P-3NRK <b>dentified uses of the substance or mixture and uses advised against</b> evant information available. If <b>the substance / the mixture</b> Cleaning material/ Detergent
• 1.3 Details of • Manufacturer Pramol-Chemi Industriestrass CH-9602 Baze Tel +41 71 93 Fax +41 71 93	ie AG se 3 enheid/SG 1 70 30
Abteilung für 1 info@pramol. Tel. 071 931 7 <b>1.4 Emergenc</b> Centre suisse o +41 (0)44 251 Schweizerische +41 (0)44 251 Centro Svizzer	
SECTION	2: Hazards identification
	tion of the substance or mixture according to Regulation (EC) No 1272/2008
	rosion
Lye Dum. 1	H318 Causes serious ave damage
	H318 Causes serious eye damage.
	nic 3 H412 Harmful to aquatic life with long lasting effects.
• 2.2 Label elem • Labelling acco The product is • Hazard pictog	nic 3 H412 Harmful to aquatic life with long lasting effects. <b>Tents</b> <b>ording to Regulation (EC) No 1272/2008</b> classified and labelled according to the GB CLP regulation. <b>rams</b> GHS05
• 2.2 Label elem • Labelling acco The product is • Hazard pictog • Signal word D • Hazard statem	nic 3 H412 Harmful to aquatic life with long lasting effects. <b>nents</b> <b>ording to Regulation (EC) No 1272/2008</b> classified and labelled according to the GB CLP regulation. <b>rams</b> GHS05 Danger <b>nents</b>
• 2.2 Label elem • Labelling acco The product is • Hazard pictog • Signal word D • Hazard statem H318 Causes s	nic 3 H412 Harmful to aquatic life with long lasting effects. <b>tents</b> <b>brding to Regulation (EC) No 1272/2008</b> classified and labelled according to the GB CLP regulation. <b>trams</b> GHS05 Danger <b>tents</b> serious eye damage.
• 2.2 Label elem • Labelling acco The product is • Hazard pictog • Signal word D • Hazard statem H318 Causes & H412 Harmful • Precautionary	nic 3 H412 Harmful to aquatic life with long lasting effects. <b>Sector Regulation (EC) No 1272/2008</b> classified and labelled according to the GB CLP regulation. <b>rams</b> GHS05 Danger <b>tents</b> serious eye damage. I to aquatic life with long lasting effects. <b>statements</b>
• 2.2 Label elem • Labelling acco The product is • Hazard pictog • Signal word D • Hazard statem H318 Causes s H412 Harmful	nic 3 H412 Harmful to aquatic life with long lasting effects. The second state of the GB CLP regulation. Trans GHS05 Danger Dents Sections eye damage. It to aquatic life with long lasting effects. Statements Keep out of reach of children. Wear protective gloves/protective clothing/eye protection/face protection/hearing
<ul> <li>2.2 Label elem</li> <li>Labelling according to the product is</li> <li>Hazard pictog</li> <li>Signal word D</li> <li>Hazard statem</li> <li>H318 Causes S</li> <li>H412 Harmful</li> <li>Precautionary</li> <li>P102</li> <li>P280</li> </ul>	nic 3 H412 Harmful to aquatic life with long lasting effects. Tents ording to Regulation (EC) No 1272/2008 classified and labelled according to the GB CLP regulation. trams GHS05 Danger tents serious eye damage. It o aquatic life with long lasting effects. to aquatic life with long lasting effects. to statements Keep out of reach of children. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
<ul> <li>2.2 Label elem</li> <li>Labelling accorrect the product is</li> <li>Hazard pictog</li> <li>Signal word D</li> <li>Hazard statem</li> <li>H318 Causes statem</li> <li>H412 Harmful</li> <li>Precautionary</li> <li>P102</li> <li>P280</li> <li>P305+P351+1</li> <li>P310</li> </ul>	nic 3 H412 Harmful to aquatic life with long lasting effects. nents print or Regulation (EC) No 1272/2008 classified and labelled according to the GB CLP regulation. rams GHS05 Danger nents serious eye damage. I to aquatic life with long lasting effects. statements Keep out of reach of children. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
<ul> <li>2.2 Label elem</li> <li>Labelling accorrect to the product is</li> <li>Hazard pictog</li> <li>Signal word D</li> <li>Hazard statem</li> <li>H318 Causes statem</li> <li>H412 Harmful</li> <li>Precautionary</li> <li>P102</li> <li>P280</li> <li>P305+P351+1</li> </ul>	<ul> <li><i>hic</i> 3 H412 Harmful to aquatic life with long lasting effects.</li> <li><i>hents</i></li> <li><i>brding to Regulation (EC) No 1272/2008</i></li> <li><i>classified and labelled according to the GB CLP regulation.</i></li> <li><i>rams</i> GHS05</li> <li><i>banger</i></li> <li><i>brans</i></li> <li><i>serious eye damage.</i></li> <li><i>to aquatic life with long lasting effects.</i></li> <li><i>statements</i></li> <li><i>keep out of reach of children.</i></li> <li><i>Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.</i></li> <li><i>P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</i></li> </ul>
<ul> <li>2.2 Label elem</li> <li>Labelling accorrector</li> <li>The product is</li> <li>Hazard pictog</li> <li>Signal word D</li> <li>Hazard statem</li> <li>H318 Causes statem</li> <li>H412 Harmful</li> <li>Precautionary</li> <li>P102</li> <li>P280</li> <li>P305+P351+1</li> <li>P310</li> <li>P501</li> <li>Additional information</li> </ul>	<ul> <li><i>inic</i> 3 H412 Harmful to aquatic life with long lasting effects.</li> <li><i>inents</i></li> <li><i>init or Regulation (EC) No</i> 1272/2008</li> <li><i>classified and labelled according to the GB CLP regulation.</i></li> <li><i>rams</i> GHS05</li> <li><i>inger</i></li> <li><i>i</i></li></ul>
<ul> <li>2.2 Label elem</li> <li>Labelling accorrector</li> <li>The product is</li> <li>Hazard pictog</li> <li>Signal word D</li> <li>Hazard statem</li> <li>H318 Causes S</li> <li>H412 Harmful</li> <li>Precautionary</li> <li>P102</li> <li>P280</li> <li>P305+P351+H</li> <li>P310</li> <li>P501</li> <li>Additional inference</li> <li>Contains (R)-p</li> </ul>	<ul> <li><i>hic 3 H412 Harmful to aquatic life with long lasting effects.</i></li> <li><i>hents</i></li> <li><i>bording to Regulation (EC) No 1272/2008</i></li> <li><i>classified and labelled according to the GB CLP regulation.</i></li> <li><i>trams GHS05</i></li> <li><i>banger</i></li> <li><i>banger</i></li> <li><i>tents</i></li> <li><i>serious eye damage.</i></li> <li><i>to aquatic life with long lasting effects.</i></li> <li><i>statements</i></li> <li><i>Keep out of reach of children.</i></li> <li><i>Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.</i></li> <li><i>P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</i></li> <li><i>Immediately call a POISON CENTER/doctor.</i></li> <li><i>Dispose of contents/container in accordance with local/regional/national/international regulations.</i></li> </ul>

(Contd. on page 2)

GB

Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 13 (replaces version 12)

Revision: 19.12.2022

Trade name: CarWash Shampoo 70

· vPvB: Not applicable.

(Contd. of page 1)

## **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 9043-30-5	Alcohol C13-iso, ethoxylated 9.5 EO	<i>≥</i> 3- <i>≤</i> 5%
CAS: 68603-42-9 EINECS: 271-657-0	Amides, coco, N,N-bis(hydroxyethyl) Eye Dam. 1, H318;  Aquatic Chronic 2, H411;  Skin Irrit. 2, H315	≥1-<2.5%
CAS: 7320-34-5 EINECS: 230-785-7 Reg.nr.: 01-2119489369-18	tetrapotassium pyrophosphate Eye Irrit. 2, H319	<i>≤</i> 2.5%
CAS: 94313-91-4 EC number: 304-990-8	trimethyl-3-[(1-oxo-10-undecenyl)amino]propylammonium methyl sulphate	<i>≤</i> 2.5%
CAS: 118-58-1 EINECS: 204-262-9 Reg.nr.: 01-2119969442-31	benzyl salicylate Skin Sens. 1B, H317	≥0.1-<1%
CAS: 5989-27-5 EINECS: 227-813-5 Reg.nr.: 01-2119529223-47	(R)-p-mentha-1,8-diene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	≥0.1-<0.25%
• Additional information: For	the wording of the listed hazard phrases refer to section 16.	L]

## **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

- *After skin contact: Generally the product does not irritate the skin.*
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.
- **SECTION 6:** Accidental release measures
- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:
- Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

<sup>-</sup> G

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 13 (replaces version 12)

Revision: 19.12.2022

(Contd. of page 2)

#### Trade name: CarWash Shampoo 70

- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 12
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Rubber gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 13 (replaces version 12)

Revision: 19.12.2022

(Contd. of page 3)

GB

Trade name: CarWash Shampoo 70

· Eye/face protection



\*

Tightly sealed goggles

# **SECTION 9: Physical and chemical properties**

<i>v</i> 11	
• 9.1 Information on basic physical and chemical p	properties
· General Information	
· Physical state	Fluid
· Colour:	Red
· Odour:	Characteristic
· Odour threshold:	Not determined.
• Melting point/freezing point:	$0 \ ^{\circ}C$
Boiling point or initial boiling point and boiling	
range	100 °C
Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Decomposition temperature:	Not determined.
· pH at 20 °C	8.5
· Viscosity:	0.5
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
Solubility	Noi ueiermineu.
· solubility · water:	Fully miscible
	Fully miscible.
• Partition coefficient n-octanol/water (log value)	Not determined. 23 hPa
Vapour pressure at 20 °C:	25 nra
Density and/or relative density	1.017 - /3
Density at 20 °C:	1.017 g/cm <sup>3</sup>
Relative density	Not determined.
· Vapour density	Not determined.
9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health an	d
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
Solvent separation test:	
· Organic solvents:	0.1 %
· Water:	84.8 %
Solids content:	1.5 %
Change in condition	
· Evaporation rate	Not determined.
•	
Information with regard to physical hazard classe	
Explosives	Void
	Void
· Flammable gases	Void
	Void
	(Contd. on page 5)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 13 (replaces version 12)

Revision: 19.12.2022

Trade name: CarWash Shampoo 70

		(Contd. of page 4)
· Aerosols	Void	
	Void	
· Oxidising gases	Void	
	Void	
· Gases under pressure	Void	
	Void	
· Flammable liquids	Void	
	Void	
· Flammable solids	Void	
	Void	
· Self-reactive substances and mixtures	Void	
5	Void	
· Pyrophoric liquids	Void	
	Void	
· Pyrophoric solids	Void	
~ 1	Void	
• Self-heating substances and mixtures	Void	
<i>,</i> , , , , , , , , , , , , , , , , , ,	Void	
· Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
8	Void	
· Oxidising liquids	Void	
0 1	Void	
• Oxidising solids	Void	
8	Void	
· Organic peroxides	Void	
6 1	Void	
· Corrosive to metals	Void	
	Void	
· Desensitised explosives	Void	
*	Void	

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Causes serious eye damage.

• 11.2 Information on other hazards

· Endocrine disrupting properties

118-58-1 benzyl salicylate

List II

GB

(Contd. on page 6)

Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 13 (replaces version 12)

Revision: 19.12.2022

Trade name: CarWash Shampoo 70

(Contd. of page 5)

GB

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

*Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Must not be disposed together with household garbage. Do not allow product to reach sewage system.* 

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

# **SECTION 14: Transport information**

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according instruments	<b>g to IMO</b> Not applicable.	
		(Contd. on page 7)

Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

*Version number 13 (replaces version 12)* 

Revision: 19.12.2022

Trade name: CarWash Shampoo 70

· UN "Model Regulation":

Void

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants phosphates, cationic surfactants, perfumes (BENZYL SALICYLATE, LIMONEN, HEXYL CINNAMAL), preservation agents (PYRITHIONE SODIUM, BENZISOTHIAZOLINONE)

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eve Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1B: Skin sensitisation - Category 1B Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 • \* Data compared to the previous version altered.

(Contd. of page 6)

≥5 - <15%

<5%