
Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 4 (replaces version 3)

Revision: 19.12.2022



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 4 (replaces version 3)

Revision: 19.12.2022

Trade name: EpoxyEx

	(Contd. of page 1)
P305+P351	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Results of P	BT and vPvB assessment
DDT. Not a	mulicable

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 100-51-6	Benzyl alcohol	10-20%
EINECS: 202-859-9 Reg.nr.: 01-2119492630-38	◆ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Eye Irrit. 2, H319	
CAS: 141-43-5	2-aminoethanol	5%
EINECS: 205-483-3 Reg.nr.: 01-2119486455-28	Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	
	Specific concentration limit: STOT SE 3; H335: $C \ge 5 \%$	
CAS: 97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts	2.5-5%
EC number: 307-055-2 Reg.nr.: 01-2119489924-20	Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
C	Specific concentration limits: Skin Irrit. 2; H315: $C \ge 15$ %	
	<i>Eye Dam. 1; H318: C ≥ 15 %</i>	
	<i>Eye Irrit. 2; H319: 10 % ≤ C < 15 %</i>	
CAS: 9043-30-5	Alcohol C13-iso, ethoxylated 9.5 EO	≥3-≤5%
	📀 Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302	
• Additional information: For	the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

GB

Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 4 (replaces version 3)

Revision: 19.12.2022

(Contd. of page 2)

Trade name: EpoxyEx

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:
- Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

· Storage class: 8 B

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

141-43-5 2-aminoethanol

WEL Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Sk

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

• **Respiratory protection:** Not required.

(Contd. on page 4)

Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 4 (replaces version 3)

Revision: 19.12.2022

Trade name: EpoxyEx

	(Contd. of pa
Hand protection EN 374	
Protective gloves	
Material of alouns	
Material of gloves Nitrile rubber, NBR	
Recommended thickness of the material: ≥ 0.1 mm	
Penetration time of glove material ≥ 8h	
	by the manufacturer of the protective gloves and has
observed.	sy the manufacturer of the protective gloves and has t
Eye/face protection	
Tightly sealed goggles	
SECTION 9: Physical and chemical prop	perties
9.1 Information on basic physical and chemical p	roperties
General Information	
Physical state	Fluid
Colour:	Light beige
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	100 °C (7732-18-5 water, distilled, conductivity o
	similar purity)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	1.3 Vol % (100-51-6 Benzyl alcohol)
Upper:	13 Vol % (100-51-6 Benzyl alcohol)
Flash point:	Not applicable.
Ignition temperature:	385 °C (141-43-5 2-aminoethanol)
Decomposition temperature:	Not determined.
pH at 20 °C	12
Viscosity:	
	Not determined.
•	
Dynamic:	Not determined.
Dynamic: Solubility	
Dynamic: Solubility water:	Fully miscible.
Dynamic: Solubility water: Partition coefficient n-octanol/water (log value)	Fully miscible. Not determined.
Dynamic: Solubility water: Partition coefficient n-octanol/water (log value)	Fully miscible. Not determined. 23 hPa (7732-18-5 water, distilled, conductivity o
Kinematic viscosity Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C:	Fully miscible. Not determined.
Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density	Fully miscible. Not determined. 23 hPa (7732-18-5 water, distilled, conductivity o similar purity)
Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C:	Fully miscible. Not determined. 23 hPa (7732-18-5 water, distilled, conductivity o similar purity) 1.217 g/cm ³
Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C: Relative density	Fully miscible. Not determined. 23 hPa (7732-18-5 water, distilled, conductivity o similar purity) 1.217 g/cm ³ Not determined.
Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C: Relative density	Fully miscible. Not determined. 23 hPa (7732-18-5 water, distilled, conductivity o similar purity) 1.217 g/cm ³
Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C: Relative density Vapour density	Fully miscible. Not determined. 23 hPa (7732-18-5 water, distilled, conductivity o similar purity) 1.217 g/cm ³ Not determined.
Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C: Relative density Vapour density 9.2 Other information	Fully miscible. Not determined. 23 hPa (7732-18-5 water, distilled, conductivity o similar purity) 1.217 g/cm ³ Not determined.
Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C: Relative density Vapour density 9.2 Other information Appearance:	Fully miscible. Not determined. 23 hPa (7732-18-5 water, distilled, conductivity o similar purity) 1.217 g/cm ³ Not determined. Not determined.
Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C: Relative density Vapour density 9.2 Other information	Fully miscible. Not determined. 23 hPa (7732-18-5 water, distilled, conductivity o similar purity) 1.217 g/cm ³ Not determined.

Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 4 (replaces version 3)

Revision: 19.12.2022

Trade name: EpoxyEx

	(Contd. of pag
Important information on protection of heal environment, and on safety.	th and
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent separation test:	
Organic solvents:	17.0 %
Water:	36.0 %
Solids content:	15.6 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard of	classes
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamm	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

 \cdot **10.5 Incompatible materials:** No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

· STOT-single exposure May cause respiratory irritation.

• 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 6)

GB

Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 4 (replaces version 3)

Revision: 19.12.2022

Trade name: EpoxyEx

(Contd. of page 5)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- *Recommended cleansing agents: Water, if necessary together with cleansing agents.*

· 14.1 UN number or ID number	
ADR, IMDG, IATA	UN3267
· 14.2 UN proper shipping name · ADR	3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O (ETHANOLAMINE)
· IMDG, IATA	CORROSIVE LIQUID, BASIC, ORGANIC, N.O., (ETHANOLAMINE)
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group · ADR, IMDG, IATA	111
· 14.5 Environmental hazards:	Not applicable.

Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 4 (replaces version 3)

Revision: 19.12.2022

Trade name: EpoxyEx

	(Contd. of page 6
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	(SGG18) Alkalis
Stowage Category	A
Segregation Code	SG35 Stow "separated from" SGG1-acids
14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	Ε
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC
8	N.O.S. (ETHANOLAMINE), 8, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

anionic surfactants, non-ionic surfactants, soap

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

<5%

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

- H412 Harmful to aquatic life with long lasting effects.
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 4 (replaces version 3)

Revision: 19.12.2022

GB

Trade name: EpoxyEx

	(Contd. of page 7)
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
* Data compared to the previous version altered.	