Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Fax +41 71 931 44 54

Version number 5 (replaces version 4)

Revision: 19.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: Isopropylalkohol · Registration number 01-2119457558-25-xxxx, 01-2119457558-25-0000 · UFI: XTG1-00XN-1002-CCVW 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Alcohol cleaner • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Pramol-Chemie AG Industriestrasse 3 CH-9602 Bazenheid/SG Tel +41 71 931 70 30

• Further information obtainable from: Abteilung für Produktsicherheit info@pramol.com Tel. 071 931 70 30 · 1.4 Emergency telephone number: Centre suisse d'information toxicologique, Zurich

+41 (0)44 251 51 51 ou 145 (depuis la Suisse) Schweizerisches Toxikologisches Informationszentrum, Zürich +41 (0)44 251 51 51 oder aus der Schweiz: Tel 145 Centro Svizzero d'informazione tossicologica +41 (0)44 251 51 51 o dalla Svizzera: Tel 145

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. · Hazard pictograms GHS02, GHS07 · Signal word Danger · Hazard-determining components of labelling: propan-2-ol · Hazard statements H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

· Precautionary statements

P102 Keep out of reach of children.

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 5 (replaces version 4)

Revision: 19.12.2022

Trade name: Isopropylalkohol

	(Contd. of page 1)
P303+P36	1+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P35	1+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· Results of I	PBT and vPvB assessment
• PBT: Not a	pplicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 67-63-0	propan-2-ol	50-100%
EINECS: 200-661-7	🕐 Flam. Liq. 2, H225; 🕔 Eye Irrit. 2, H319; STOT SE 3, H336	
Reg.nr.: 01-2119457558-25		

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- *After skin contact: Generally the product does not irritate the skin.*

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions:
- Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

• 6.4 Reference to other sections See Section 7 for information on safe handling.

(Contd. on page 3)

GB

Page 3/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 5 (replaces version 4)

Revision: 19.12.2022

(Contd. of page 2)

Trade name: Isopropylalkohol

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.

• Storage class: 3

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

· 8.1 Contro	ol para	imeters				
· Ingredient	's with	limit values that require m	onitoring at the workplace:			
67-63-0 pr	67-63-0 propan-2-ol					
		n value: 1250 mg/m³, 500 pp				
Long	Long-term value: 999 mg/m ³ , 400 ppm					
· DNELs						
67-63-0 pr	opan	-2-ol				
Oral	DNE	L long term systemic effects	26 mg/kg bw/day (general population)			
Dermal	DNE	L long term systemic effects	319 mg/kg bw/day (general population)			
			888 mg/kg bw/day (workers)			
Inhalative	DNE	L long term systemic effects	89 mg/m3 (general population)			
			500 mg/m3 (workers)			
· PNECs						
67-63-0 pr	opan	-2-ol				
PNEC		140.9 mg/l (intermittent rele	ease)			
		2,251 mg/l (sewage plant)				
PNEC aqu	a	140.9 mg/l (fresh water)				
1		140.9 mg/l (sea water)				
PNEC sediment		552 mg/kg (fresh water)				
		552 mg/kg (sea water)				
PNEC ground		28 mg/kg (ground)				
• Additional information: The lists valid during the making were used as basis.						
	U					
• 8.2 Exposure controls • Appropriate engineering controls No further data; see item 7.						
· Individual protection measures, such as personal protective equipment						
Congral protective and hygionic measures.						

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes.

(Contd. on page 4)

GB

Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 5 (replaces version 4)

Revision: 19.12.2022

Trade name: Isopropylalkohol

(Contd. of page 3)

Avoid contact with the eyes and skin.

- **Respiratory protection:** Not required.
- Hand protection Protective gloves and protective skin cream
- Material of gloves Rubber gloves
- · Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties			
• 9.1 Information on basic physical and chemical p	roperties		
· General Information			
· Colour:	Colourless		
· Odour:	Aromatic		
• Odour threshold:	Not determined.		
• Melting point/freezing point:	-89.5 °C		
• Boiling point or initial boiling point and boiling			
range	82 °C		
· Flammability	Not applicable.		
· Lower and upper explosion limit			
· Lower:	2 Vol %		
· Upper:	12 Vol %		
· Flash point:	13 °C		
· Ignition temperature:	425 °C		
• Decomposition temperature:	Not determined.		
· pH	Not determined.		
· Viscosity:			
· Kinematic viscosity	Not determined.		
· Dynamic:	Not determined.		
· Solubility			
· water at 20 °C:	l g/l		
• Partition coefficient n-octanol/water (log value)	Not determined.		
· Vapour pressure at 20 °C:	43 hPa		
• Density and/or relative density			
· Density at 20 °C:	0.786 g/cm^3		
· Relative density	Not determined.		
· Vapour density	Not determined.		
• 9.2 Other information			
· Appearance:			
· Form:	Fluid		
Important information on protection of health an	d		
environment, and on safety.			
• Auto-ignition temperature:	Product is not selfigniting.		
• Explosive properties:	Product is not explosive. However, formation of		
	explosive air/vapour mixtures are possible.		
· Solvent separation test:	• • • •		
• Organic solvents:	99.9 %		
· Water:	0.1 %		
· Molecular weight	60 g/mol		
	(Contd. on page 5)		

(Contd. on page 5)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 5 (replaces version 4)

Revision: 19.12.2022

Trade name: Isopropylalkohol

		(Contd. of page
· Change in condition		
· Evaporation rate	Not determined.	
· Information with regard to physical hazard	classes	
· Explosives	Void	
· Flammable gases	Void	
· Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids		
Highly flammable liquid and vapour.		
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
\cdot Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

67-63-0 propan-2-ol

Oral LD50 5,280 mg/kg (Rat)

Dermal LD50 17,600 mg/kg (Rabbit)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

Causes serious eye irritation.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure

May cause drowsiness or dizziness.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

⁻ GB

Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 5 (replaces version 4)

Revision: 19.12.2022

(Contd. of page 5)

Trade name: Isopropylalkohol

\cdot 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

67-63-0 propan-2-ol

EC50 (48h) 13,299 mg/l (Daphnia magna)

LC50 (96h) 9,640 mg/l (Pimephales promelas)

- · 12.2 Persistence and degradability Easily biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. • *Recommended cleansing agents: Water, if necessary together with cleansing agents.*

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA

UN1219

· 14.2 UN proper shipping name

· ADR · IMDG, IATA 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) ISOPROPANOL (ISOPROPYL ALCOHOL)

(Contd. on page 7)

GB –

Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 5 (replaces version 4)

Revision: 19.12.2022

Trade name: Isopropylalkohol

	(Contd. of page
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group	
· ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	
· Marine pollutant:	No
\cdot 14.6 Special precautions for user	Warning: Flammable liquids.
• Hazard identification number (Kemler code):	<i>33</i>
· EMS Number:	F-E,S-D B
· Stowage Category	2
• 14.7 Maritime transport in bulk according to IM	
instruments	Not applicable.
• Transport/Additional information:	
· ADR	
Limited quantities (LQ)	
· Excepted quantities (EQ)	Code: E2 Maximum not quantity per junct packaging: 20 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
• Tunnel restriction code	D/E
·IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities ($\widetilde{E}Q$)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL),
-	II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

(Contd. on page 8)

GB

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 5 (replaces version 4)

Revision: 19.12.2022

Trade name: Isopropylalkohol

(Contd. of page 7)
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
Abbreviations and acronyms:
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the
International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
* * Data compared to the previous version altered.