Printing date 20.12.2022

Version number 7 (replaces version 6)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Wasserstoffperoxid 35 %
- · UFI: 8G23-009Q-P00N-EX9G
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Cleaning material/ Detergent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Pramol-Chemie AG

Industriestrasse 3

CH-9602 Bazenheid/SG

Tel +41 71 931 70 30

Fax +41 71 931 44 54

· Further information obtainable from:

Abteilung für Produktsicherheit

info@pramol.com

Tel. 071 931 70 30

· 1.4 Emergency telephone number:

Centre suisse d'information toxicologique, Zurich

+41 (0)44 251 51 51 ou 145 (depuis la Suisse)

Schweizerisches Toxikologisches Informationszentrum, Zürich

+41 (0)44 251 51 51 oder aus der Schweiz: Tel 145

Centro Svizzero d'informazione tossicologica

+41 (0)44 251 51 51 o dalla Svizzera: Tel 145

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- · Hazard-determining components of labelling:

hydrogen peroxide solution

· Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

H318 Causes serious eye damage.

· Precautionary statements

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Revision: 20.12.2022

Printing date 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

Trade name: Wasserstoffperoxid 35 %

(Contd. of page 1)

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.
- SECTION 3: Composition/information on ingredients
- · **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components: CAS: 7722-84-1

hydrogen peroxide solution

≥25-<35%

EINECS: 231-765-0

📀 Ox. Lig. 1, H271; 📀 Skin Corr. 1A, H314; 🕦 Acute Tox. 4, Reg.nr.: 01-2119485845-22 H302; Acute Tox. 4, H332

Specific concentration limits: Ox. Liq. 1; H271: $C \ge 70 \%$

Ox. Liq. 2; H272: $50 \% \le C < 70 \%$ Skin Corr. 1A; H314: C ≥ 70 % Skin Corr. 1B; H314: $50 \% \le C < 70$

Skin Irrit. 2; H315: 35 % $\leq C < 50$

Eye Dam. 1; H318: C ≥ 8 % Eye Irrit. 2; H319: $5\% \le C < 8\%$ STOT SE 3; C ≥ 35 %

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

(Contd. on page 3)

Version number 7 (replaces version 6) Printing date 20.12.2022 Revision: 20.12.2022

Trade name: Wasserstoffperoxid 35 %

(Contd. of page 2)

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Do not seal receptacles gas-tight.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 5.1 B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients	with limit	values tha	t reauire	monitoring	at the v	vorknlace:

7722-84-1 hydrogen peroxide solution

WEL Short-term value: 2.8 mg/m³, 2 ppm Long-term value: 1.4 mg/m³, 1 ppm

· DNELs

7722-84-1 hydrogen peroxide solution

	, G 1	
Inhalative	DNEL long term systemic effects	1.4 mg/m3 (workers)
	DNEL short term local effects	1.93 mg/m3 (general population)
		3 mg/m3 (workers)
	DNEL long term local effects	0.21 mg/m3 (general population)
		1.4 mg/m3 (workers)

7722-84-1 hydrogen peroxide solution

(intermittent release)
ewage plant)
(fresh water)
(sea water)
(fresh water)
(sea water)
(

PNEC ground 0.0023 mg/kg (ground)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

Printing date 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

Trade name: Wasserstoffperoxid 35 %

(Contd. of page 3)

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

- · Material of gloves Rubber gloves
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Colour:
Odour:
Odourless
Odour threshold:
Not determined.

• Melting point/freezing point: -33 °C

· Boiling point or initial boiling point and boiling

range 108 °C

· Flammability Not applicable.

Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature: Not determined.

 \cdot pH at $\overline{20}$ °C 2.5

· Viscosity:

• Kinematic viscosity at 20 °C 6 s (ISO 4 mm)
• Dynamic: Not determined.

·Solubility

• water: Fully miscible.
• Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and

environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

(Contd. on page 5)

Printing date 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

Trade name: Wasserstoffperoxid 35 %

		(Contd. of page
Solvent separation test:		
Water:	65.1 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Harmful if swallowed or if inhaled.

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

GE

Printing date 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

Trade name: Wasserstoffperoxid 35 %

(Contd. of page 5)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability Easily biodegradable
- · 12.3 Bioaccumulative potential Does not accumulate in organisms
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA UN2014
- · 14.2 UN proper shipping name
- $\cdot ADR$

· IMDG, IATA

2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION

HYDROGEN PEROXIDE, AQUEOUS SOLUTION

- · 14.3 Transport hazard class(es)
- $\cdot ADR$





• Class 5.1 Oxidising substances.

(Contd. on page 7)

Printing date 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

Trade name: Wasserstoffperoxid 35 %

T.J.J.	(Contd. of page of
Label	5.1+8
IMDG	
Class Label	5.1 Oxidising substances. 5.1/8
IATA	
Class	5.1 Oxidising substances.
Label	5.1 (8)
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Oxidising substances. 58
EMS Number:	F-H,S-Q
Segregation groups Stowage Category	(SGG16) Peroxides D
Stowage Code	SW1 Protected from sources of heat.
Segregation Code	SG16 Stow "separated from" class 4.1
	SG59 Stow "separated from" SGG14-permanganates SG72 See 7.2.6.3.2.
14.7 Maritime transport in bulk according to IM	
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	IL Code, F2
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging: 50 ml Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	<i>E</i>
IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	IL Code: E2
Excepted quantities (EQ)	Coae: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per unter packaging: 50 ml
UN "Model Regulation":	UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II

Printing date 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

Trade name: Wasserstoffperoxid 35 %

(Contd. of page 7)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Regulation (EC) No 648/2004 on detergents / Labelling for contents

oxygen-based bleaching agents

≥30%

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H271 May cause fire or explosion; strong oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 1: Oxidizing liquids - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

* Data compared to the previous version altered.

GB