Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 10 (replaces version 9)

Revision: 19.12.2022

inting date 19.12.	2022	Version number 10 (replaces version 9)	Revision: 19.12.2022
SECTION 1	: Identifica	tion of the substance/mixture and of the co	mpany/undertaking
· 1.1 Product ide	ntifier		
No further relev	95-400C-D7P e ntified uses vant informati	of the substance or mixture and uses advised agains	st
• 1.3 Details of th • Manufacturer Pramol-Chemie Industriestrasse CH-9602 Bazen Tel +41 71 931 Fax +41 71 931	Supplier: 2 AG 2 3 2 heid/SG 70 30	f the safety data sheet	
+41 (0)44 251 : Schweizerisches +41 (0)44 251 : Centro Svizzero	roduktsicherk om 30 telephone nu information t 51 51 ou 145 5 Toxikologise 51 51 oder au d'informazio	leit	
SECTION 2	• Hazards i	dentification	
Classification a	according to 1 osion H314 Causes	stance or mixture Regulation (EC) No 1272/2008 severe skin burns and eye damage. serious eye damage.	
• 2.2 Label eleme • Labelling accor The product is of • Hazard pictogr • Signal word Da • Hazard stateme	ents rding to Regu classified and ams GHS05 inger ents	elation (EC) No 1272/2008 labelled according to the GB CLP regulation. rns and eye damage.	
· Precautionary	statements		
	338 IF ÎN EY present a	of reach of children. 'ES: Rinse cautiously with water for several minute nd easy to do. Continue rinsing.	es. Remove contact lenses, if
P310 P405	Immedia Store loc	tely call a POISON CENTER/doctor. ked up.	
P501	Dispose	of contents/container in accordance with local/reg	ional/national/international
• Results of PBT • PBT: Not appli • vPvB: Not appl	cable.		

(Contd. on page 2)

Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 10 (replaces version 9)

Revision: 19.12.2022

Trade name: cemex forte

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
	methanesulphonic acid	10-20%
Reg.nr.: 01-2119491166-34		
CAS: 5329-14-6 EINECS: 226-218-8 Reg.nr.: 01-2119488633-28	sulphamidic acid Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	≥5-<10%
Additional information, For	the wording of the listed hazard phrases refer to section 16	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 10 (replaces version 9)

Revision: 19.12.2022

Trade name: cemex forte

(Contd. of page 2)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

• Information about fire - and explosion protection: No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 8 B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Hand protection



Protective gloves

EN 374

- · Material of gloves
- Rubber gloves
- Recommended thickness of the material: $\geq 0.5 \text{ mm}$
- · Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye/face protection



Tightly sealed goggles

(Contd. on page 4)

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 10 (replaces version 9)

Revision: 19.12.2022

(Contd. of page 3)

Trade name: cemex forte

SECTION 9: Physical and chemical prop		
9.1 Information on basic physical and chemical p	roperties	
General Information		
Physical state	Fluid	
Colour:	Colourless	
Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and boiling	100.07	
range	100 °C	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable.	
Decomposition temperature:	Not determined.	
рН at 20 °С	0.5	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Fully miscible.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density and/or relative density		
Density at 20 °C:	1.104 g/cm^3	
Relative density	Not determined.	
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Form:	Fluid	
I orm. Important information on protection of health and		
environment, and on safety.	<i>u</i>	
	Product is not selfigniting.	
Auto-ignition temperature:	Product is not settigniting. Product does not present an explosion hazard.	
Explosive properties:	Froduci does not present un explosion nazara.	
Solvent separation test:	79.0 %	
Water:		
Solids content:	14.2 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard classe		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable		
gases in contact with water	Void	
Oxidising liquids	Void	
Contraction of the second seco		

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 10 (replaces version 9)

Revision: 19.12.2022

Trade name: cemex forte

		(Contd. of page 4)
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Causes severe skin burns and eye damage.
- Serious eye damage/irritation Causes serious eye damage.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Version number 10 (replaces version 9)

Revision: 19.12.2022

Trade name: cemex forte

Printing date 19.12.2022

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number		
ADR, IMDG, IATA	UN3265	
14.2 UN proper shipping name		
ADR	3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.	
IMDG, IATA	(methanesulphonic acid) CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.	
	(methanesulphonic acid)	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
- Sector Contraction of the sector of the se		
*		
Class	8 Corrosive substances.	
Label	8	
14.4 Packing group		
ADR, IMDG, IATA	111	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Warning: Corrosive substances.	
Hazard identification number (Kemler code):	80 E. t.C. D.	
EMS Number: Segregation groups	F-A,S-B (SGG1) Acids	
14.7 Maritime transport in bulk according to IM instruments	Not applicable.	
Transport/Additional information:	11	
ADR		
Limited quantities (LQ)	5L	
Excepted quantities $(\widetilde{E}Q)$	Code: E1	
	Maximum net quantity per inner packaging: 30 ml	
T	Maximum net quantity per outer packaging: 1000 ml	
Transport category Tunnel restriction code	3 E	
	2	
UN "Model Regulation":	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC N.O.S. (METHANESULPHONIC ACID), 8, III	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

GB

(Contd. of page 5)

Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.12.2022

Version number 10 (replaces version 9)

Revision: 19.12.2022

Trade name: cemex forte

(Contd. of page 6)

SECTION 16: Other information
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
· Relevant phrases
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.
· Abbreviations and acronyms:
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Imit 2: Surieur and damage/eye irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Aquatic Chuonica: Hazardous to the aquatic emirenment long term aquatic hazard – Category 3
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
• * Data compared to the previous version altered.