
Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.02.2024

Version number 9 (replaces version 8)

Revision: 12.02.2024



(Contd. on page 2) GB Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.02.2024

Version number 9 (replaces version 8)

Trade name: solvent K20

	(Contd. of page 1)
Hazard-deter	mining components of labelling:
	oleum), heavy alkylate
(R)-p-mentha	
Hazard stater	nents
H226 Flamme	able liquid and vapour.
H315 Causes	skin irritation.
H319 Causes	serious eye irritation.
H317 May ca	use an allergic skin reaction.
	fatal if swallowed and enters airways.
	aquatic life with long lasting effects.
Precautionar	
P102	Keep out of reach of children.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+	P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Results of PB PBT: Not app	T and vPvB assessment
1 51. Not upp	

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
	Naphtha (petroleum), heavy alkylate	50-100%
Reg.nr.: 01-2119471991-29	♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411, EUH066	
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	10-20%
EINECS: 227-813-5 Reg.nr.: 01-2119529223-47	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	10%
EINECS: 203-961-6	♦ Eye Irrit. 2, H319	
Reg.nr.: 01-2119475104-44		
· Additional information · For	the wording of the listed hazard phrases refer to section 16	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

GB

Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.02.2024

Version number 9 (replaces version 8)

Revision: 12.02.2024

Trade name: solvent K20

(Contd. of page 2)

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- **Requirements to be met by storerooms and receptacles:** No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm

Long-term value: 67.5 mg/m³, 10 ppm

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

βB

Page 4/9


Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.02.2024

Version number 9 (replaces version 8)

Revision: 12.02.2024

Trade name: solvent K20



SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical p	properties
· General Information	
· Colour:	Blue
· Odour:	Characteristic
· Odour threshold:	Not determined.
Melting point/freezing point:	<0 °C
· Boiling point or initial boiling point and boiling	
range	171 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	11
· Lower:	0.7 Vol %
· Upper:	10.6 Vol %
· Flash point:	44 °C
• Auto-ignition temperature:	240 °C
Decomposition temperature:	Not determined.
	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
Solubility	
· water:	Partly miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	2.3 hPa
• Density and/or relative density	
• Density at 20 °C:	0.781 g/cm^3
· Relative density	Not determined.
· Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
· Form:	Fluid
	(Contd. on page 5)

Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.02.2024

Version number 9 (replaces version 8)

Revision: 12.02.2024

Trade name: solvent K20

	(Contd. of page 4
Important information on protection of heal environment, and on safety.	th and
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation o explosive air/vapour mixtures are possible.
Solvent separation test:	
Organic solvents:	30.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard of	classes
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamm	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

Naphtha (petroleum), heavy alkylate

Oral LD50 >6,000 mg/kg (Rat)

Dermal LD50 >3,000 mg/kg (rabbit)

Skin corrosion/irritation

Causes skin irritation.

• Serious eye damage/irritation

Causes serious eye irritation. • Respiratory or skin sensitisation

May cause an allergic skin reaction.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.02.2024

Version number 9 (replaces version 8)

Revision: 12.02.2024

(Contd. of page 5)

Trade name: solvent K20

- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard
- May be fatal if swallowed and enters airways.
- 11.2 Information on other hazards
- · Endocrine disrupting properties
- None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- Also poisonous for fish and plankton in water bodies.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Toxic for aquatic organisms

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA

UN1993

(Contd. on page 7)

3 —

Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.02.2024

Version number 9 (replaces version 8)

Revision: 12.02.2024

Trade name: solvent K20

14.2 TIN	(Contd. of pa
14.2 UN proper shipping name ADR	1002 FLAMMADIE LIQUID NOS (CO 12
ADK	1993 FLAMMABLE LIQUID, N.O.S. (C9-12-1 alkanes, (R)-p-mentha-1,8-diene), ENVIRONMENTA. HAZARDOUS
IMDG	FLAMMABLE LIQUID, N.O.S. (C9-12-Iso-alkanes, p-mentha-1,8-diene), MARINE POLLUTANT
IATA	FLAMMABLE LIQUID, N.O.S. (C9-12-Iso-alkanes, p-mentha-1,8-diene)
14.3 Transport hazard class(es)	
ADR, IMDG	
Class	3 Flammable liquids.
Label	3
IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	Yes
Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Flammable liquids. 30
EMS Number:	F-E,S-E
Stowage Category	A
14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
Transport category	Maximum net quantity per outer packaging: 1000 ml
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
	(Contd. on pa

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.02.2024

Version number 9 (replaces version 8)

Revision: 12.02.2024

≥30%

≥15 - <30%

Trade name: solvent K20

(Contd. of page 7)

· UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N.O.S. (C9-12-ISO-ALKANES, (R)-P-MENTHA-1,8-DIENE), 3, III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

E2 Hazardous to the Aquatic Environment

- P5c FLAMMABLE LIQUIDS
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

aliphatic hydrocarbons

perfumes (LIMONEN)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.02.2024

Version number 9 (replaces version 8)

Revision: 12.02.2024

Trade name: solvent K20

(Contd. of page 8) vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 • * Data compared to the previous version altered.