
Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.12.2022

Version number 5 (replaces version 4)

Revision: 20.12.2022



Printing date 20.12.2022

Version number 5 (replaces version 4)

Revision: 20.12.2022

(1 C

• •

Trade name: stone-color

	(Contd. of page 1)		
· Precautionary statements			
P102	Keep out of reach of children.		
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.		
<i>P303+P361+P35</i> .	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with		
	water [or shower].		
P405	Store locked up.		
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.		
· Results of PBT an	nd vPvB assessment		
• PBT: Not applicat	ble.		

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
EC number: 919-446-0	Naphtha (petroleum), heavy alkylate	50-100%
Reg.nr.: 01-2119471991-29	🚸 Flam. Liq. 3, H226; 🕹 Asp. Tox. 1, H304; 🚯 Aquatic Chronic 2, H411, EUH066	
CAS: 3648-18-8	dioctyltin dilaurate	<0.3%
EINECS: 222-883-3	🚯 Repr. 1B, H360D; STOT RE 1, H372	
Reg.nr.: 01-2119979527-19	· ·	
· Additional information · For	the wording of the listed hazard phrases refer to section 16	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eve contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Do not flush with water or aqueous cleansing agents

(Contd. on page 3)

Printing date 20.12.2022

Version number 5 (replaces version 4)

Revision: 20.12.2022

(Contd. of page 2)

Trade name: stone-color

· 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

· Storage class: 3

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.

• Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves
- Neoprene gloves
- Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

GB

Printing date 20.12.2022

Version number 5 (replaces version 4)

Revision: 20.12.2022

(Contd. of page 3)

Trade name: stone-color

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

General Information	roperties
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	<0 °C
Boiling point or initial boiling point and boiling	
range	184 °C
Flammability	Not applicable.
Lower and upper explosion limit	11
Lower:	0.7 Vol %
Upper:	6.5 Vol %
Flash point:	46 °C
Ignition temperature:	280 °C
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	1,01 <i>u0101 milliou</i> .
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	Tor acternatica.
Density at 20 °C:	$0.81 \ g/cm^3$
Relative density	Not determined.
Vapour density	Not determined.
- ·	
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an	d
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
Colored and mustices don't	explosive air/vapour mixtures are possible.
Solvent separation test:	0.0.0/
Organic solvents:	
Water:	9.8 %
Change in condition	N-4 d-4in-d
Evaporation rate	Not determined.
Information with regard to physical hazard classe	8
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void

GE

Printing date 20.12.2022

Version number 5 (replaces version 4)

Revision: 20.12.2022

Trade name: stone-color

		(Contd. of page 4)
· Flammable liquids		
Flammable liquid and vapour.		
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamma	ble	
gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

Naphtha (petroleum), heavy alkylate

Oral LD50 >6,000 mg/kg (Rat)

Dermal LD50 >3,000 mg/kg (Rabbit)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard
- May be fatal if swallowed and enters airways.
- · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available. • 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

GB

Printing date 20.12.2022

Version number 5 (replaces version 4)

Revision: 20.12.2022

(Contd. of page 5)

Trade name: stone-color

- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1993
· 14.2 UN proper shipping name · ADR	1993 FLAMMABLE LIQUID, N.O.S. (C9-12-Iso alkanes), ENVIRONMENTALLY HAZARDOUS
·IMDG	FLAMMABLE LIQUID, N.O.S. (C9-12-Iso-alkanes) MARINE POLLUTANT
· IATA	FLAMMABLE LIQUID, N.O.S. (C9-12-Iso-alkanes)
· Class · Label	3 Flammable liquids. 3
·IATA	
· Class	3 Flammable liquids.

Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.12.2022

Version number 5 (replaces version 4)

Revision: 20.12.2022

Trade name: stone-color

	(Contd. of pag
Label	3
14.4 Packing group	
ADR, IMDG, IATA	111
14.5 Environmental hazards:	
Marine pollutant:	No
	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	30
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	A
14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (C9-12-IS
0	ALKANES), 3, III, ENVIRONMENTALLY HAZARDOU

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category

E2 Hazardous to the Aquatic Environment P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

aliphatic hydrocarbons

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H360D May damage the unborn child.

(Contd. on page 8)

≥30%

GB

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Version number 5 (replaces version 4)

Revision: 20.12.2022

Trade name: stone-color

Printing date 20.12.2022

11272	(Contd. of)	pa
H372	Causes damage to organs through prolonged or repeated exposure.	
H411	<i>Toxic to aquatic life with long lasting effects.</i>	
EUH060	6 Repeated exposure may cause skin dryness or cracking.	
	iations and acronyms:	
	lement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concern	ing
	onal Transport of Dangerous Goods by Rail)	0
	ternational Civil Aviation Organisation	
ADR: Acc	cord relatif au transport international des marchandises dangereuses par route (European Agreement Concern	ing
Internatio	onal Carriage of Dangerous Goods by Road)	
	nternational Maritime Code for Dangerous Goods	
	ernational Air Transport Association	
	bally Harmonised System of Classification and Labelling of Chemicals	
	European Inventory of Existing Commercial Chemical Substances	
	European List of Notified Chemical Substances	
	mical Abstracts Service (division of the American Chemical Society)	
	thal concentration, 50 percent	
	thal dose, 50 percent	
	sistent, Bioaccumulative and Toxic	
	y Persistent and very Bioaccumulative	
	1. 3: Flammable liquids – Category 3	
	Reproductive toxicity – Category 1B	
	1: Specific target organ toxicity (repeated exposure) – Category 1 1: Aspiration hazard – Category 1	
1	<i>The Aspiration nazara – Category 1</i> Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
" Data C	compared to the previous version altered.	