Safety data sheet

according to 1907/2006/EC, Article 31 Version number 13 (replaces version 12)

Printing date 20.12.2022

Revision: 20.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier • Trade name: stone 800 · UFI: 3XC1-70VS-700T-K0P0 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Auxiliary • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Pramol-Chemie AG Industriestrasse 3 CH-9602 Bazenheid/SG Tel +41 71 931 70 30 Fax +41 71 931 44 54 · Further information obtainable from: Abteilung für Produktsicherheit info@pramol.com Tel. 071 931 70 30 · 1.4 Emergency telephone number: Centre suisse d'information toxicologique, Zurich +41 (0)44 251 51 51 ou 145 (depuis la Suisse) Schweizerisches Toxikologisches Informationszentrum, Zürich +41 (0)44 251 51 51 oder aus der Schweiz: Tel 145 Centro Svizzero d'informazione tossicologica +41 (0)44 251 51 51 o dalla Svizzera: Tel 145 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eve Dam. 1 H318 Causes serious eye damage. · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. • Hazard pictograms GHS05 · Signal word Danger · Hazard-determining components of labelling: Silicic acid, potassium salt · Hazard statements H314 Causes severe skin burns and eye damage. · Precautionary statements P102 Keep out of reach of children. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Results of PBT and vPvB assessment • **PBT:** Not applicable. (Contd. on page 2) GB

Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.12.2022

Version number 13 (replaces version 12)

Revision: 20.12.2022

Trade name: stone 800

· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

 • Dangerous components:

 CAS: 1312-76-1
 Silicic acid, potassium salt

 EINECS: 215-199-1

 Reg.nr.: 01-2119456888-17

 • Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection: No special measures required.

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.12.2022

Version number 13 (replaces version 12)

Revision: 20.12.2022

Trade name: stone 800

(Contd. of page 2)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 8 B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

- · Material of gloves Rubber gloves
- · Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye/face protection



Tightly sealed goggles

• **Body protection:** Boots Apron

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and o • General Information	chemical properties	
· Physical state	Fluid	
· Colour:	Colourless	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
• Melting point/freezing point:	0 °C	
Boiling point or initial boiling point and	d boiling	
range	100 °C	
· Flammability	Not applicable.	

Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.12.2022

Version number 13 (replaces version 12)

Revision: 20.12.2022

Trade name: stone 800

	(Contd. of page
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	13.5
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
	25 ni u
Density and/or relative density	1 2 - / 3
Density at 20 °C:	1.2 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an environment, and on safety.	d
Auto-ignition temperature:	Product is not selfigniting.
	Product does not present an explosion hazard.
Explosive properties:	Froduct does not present an explosion nazara.
Solvent separation test:	80.0.0/
Water:	80.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	, 010
	Void
gases in contact with water	
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

⁻ GB

Page 5/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.12.2022

Version number 13 (replaces version 12)

Revision: 20.12.2022

Trade name: stone 800

(Contd. of page 4)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- \cdot Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Causes severe skin burns and eye damage.
- Serious eye damage/irritation Causes serious eye damage.
- 11.2 Information on other hazards
- Endocrine disrupting properties
- None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. • *Recommended cleansing agents: Water, if necessary together with cleansing agents.*

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA

UN3266

(Contd. on page 6)

GB

Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.12.2022

Version number 13 (replaces version 12)

Revision: 20.12.2022

Trade name: stone 800

	(Contd. of page
· 14.2 UN proper shipping name · ADR	3266 CORROSIVE LIQUID, BASIC, INORGANIC N.O.S. (Silicic acid, potassium salt)
· IMDG, IATA	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S (Silicic acid, potassium salt)
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class · Label	8 Corrosive substances. 8
· 14.4 Packing group · ADR, IMDG, IATA	III
 14.5 Environmental hazards: Marine pollutant: 	No
 14.6 Special precautions for user Hazard identification number (Kemler code): Stowage Category Stowage Code Segregation Code 	Warning: Corrosive substances. 80 A SW2 Clear of living quarters. SG35 Stow "separated from" SGG1-acids
· 14.7 Maritime transport in bulk according to IM instruments	IO Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
• Transport category • Tunnel restriction code	3 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIO N.O.S. (SILICIC ACID, POTASSIUM SALT), 8, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

GB

Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.12.2022

Version number 13 (replaces version 12)

Revision: 20.12.2022

Trade name: stone 800

(Contd. of page 6)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H314 Causes severe skin burns and eye damage.

 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 * Data compared to the previous version altered.