
Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.12.2022

Version number 20 (replaces version 19)

Revision: 20.12.2022



- GB

Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.12.2022

Version number 20 (replaces version 19)

Revision: 20.12.2022

(Contd. of page 1)

Trade name: tapi-spot

- (R)-p-mentha-1,8-diene
- Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H336 May cause drowsiness or dizziness.
- *H411 Toxic to aquatic life with long lasting effects.*

· Precautionary statements

- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

• Additional information:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

69.9404983 % by mass of the contents are flammable

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 64742-49-0 EINECS: 265-151-9 Reg.nr.: 01-2119475133-43	Naphtha (petroleum), hydrotreated light Flam. Liq. 2, H225; Acute Tox. 3, H331; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	50-100%		
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21	propane 🚸 Flam. Gas 1A, H220; Press. Gas (Comp.), H280	10-20%		
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32	butane, pure Flam. Gas 1A, H220; 🛞 Acute Tox. 3, H331; Press. Gas (Comp.), H280	10-20%		
CAS: 5989-27-5 EINECS: 227-813-5 Reg.nr.: 01-2119529223-47	(R)-p-mentha-1,8-diene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	2.5-5%		
• Additional information: For	the wording of the listed hazard phrases refer to section 16.			

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Page 3/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.12.2022

Version number 20 (replaces version 19)

Revision: 20.12.2022

Trade name: tapi-spot

(Contd. of page 2)

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- Storage class: 2 B
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

*

· Flash point:

· Viscosity:

· pH

Ignition temperature:
 Decomposition temperature:

· Kinematic viscosity

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.12.2022

Version number 20 (replaces version 19)

Revision: 20.12.2022

Trade name: tapi-spot

(Contd. of page 3)

Control parameters Control parameters Control with limit values that require monitor P7-8 butane, pure Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) tional information: The lists valid during the Cxposure controls opriate engineering controls No further data, vidual protection measures, such as personal protective and hygienic measures: away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated c. thands before breaks and at the end of work. d contact with the skin. d contact with the sys and skin. iratory protection: Not required. iprotective gloves trail of gloves Rubber gloves tration time of glove material exact break trough time has to be found out to yeed. Tightly sealed goggles	making were used as basis. • see item 7. protective equipment lothing
 <i>Short-term value: 1810 mg/m³, 750 ppm</i> Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) <i>tional information:</i> The lists valid during the Exposure controls <i>opriate engineering controls</i> No further data, <i>vidual protection measures, such as personal</i> <i>tral protective and hygienic measures:</i> away from foodstuffs, beverages and feed. <i>ediately remove all soiled and contaminated contact with the skin.</i> <i>d contact with the skin.</i> <i>d contact with the eyes and skin.</i> <i>iratory protection:</i> Not required. <i>I protection</i> <i>Protective gloves</i> <i>tration time of glove material</i> <i>exact break trough time has to be found out for year.</i> <i>face protection</i> 	making were used as basis. • see item 7. protective equipment lothing
Short-term value: 1810 mg/m ³ , 750 ppm Long-term value: 1450 mg/m ³ , 600 ppm Carc (if more than 0.1% of buta-1.3-diene) tional information: The lists valid during the Exposure controls opriate engineering controls No further data, ridual protection measures, such as personal tral protective and hygienic measures: away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated c. thands before breaks and at the end of work. I contact with the skin. I contact with the eyes and skin. iratory protection: Not required. I protective for gloves Rubber gloves tration time of glove material exact break trough time has to be found out for ved. face protection	see item 7. protective equipment lothing
Long-term value: 1450 mg/m ³ , 600 ppm Carc (if more than 0.1% of buta-1.3-diene) tional information: The lists valid during the Exposure controls opriate engineering controls No further data, idual protection measures, such as personal tral protective and hygienic measures: away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated c. thands before breaks and at the end of work. I contact with the skin. I contact with the skin. I contact with the eyes and skin. iratory protection: Not required. I protection Protective gloves tration time of glove material exact break trough time has to be found out to ved. face protection	see item 7. protective equipment lothing
Carc (if more than 0.1% of buta-1.3-diene) tional information: The lists valid during the Exposure controls opriate engineering controls No further data, idual protection measures, such as personal tral protective and hygienic measures: away from foodstuffs, beverages and feed. away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated c. thands before breaks and at the end of work. a contact with the skin. a contact with the eyes and skin. iratory protection: Not required. a protective gloves tration time of glove material exact break trough time has to be found out to ved. face protection	see item 7. protective equipment lothing
tional information: The lists valid during the Exposure controls opriate engineering controls No further data, idual protection measures, such as personal eral protective and hygienic measures: away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated con- the hands before breaks and at the end of work. I contact with the skin. I contact with the eyes and skin. iratory protection: Not required. I protection Protective gloves tration time of glove material exact break trough time has to be found out to ved. face protection	see item 7. protective equipment lothing
 Exposure controls opriate engineering controls No further data, indual protection measures, such as personal ral protective and hygienic measures: away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated c. a hands before breaks and at the end of work. d contact with the skin. d contact with the eyes and skin. iratory protection: Not required. for protective gloves rial of gloves Rubber gloves tration time of glove material exact break trough time has to be found out to ved. face protection 	see item 7. protective equipment lothing
 opriate engineering controls No further data, idual protection measures, such as personal eral protective and hygienic measures: away from foodstuffs, beverages and feed. away from out of the eyes and skin. action fine of glove material exact break trough time has to be found out of the eyes. Face protection 	protective equipment lothing
idual protection measures, such as personal ral protective and hygienic measures: away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated con- bediately remove all soiled and at the end of work. I contact with the skin. I contact with the eyes and skin. iratory protection: Not required. I protection Protective gloves rial of gloves Rubber gloves tration time of glove material exact break trough time has to be found out to ved. face protection	protective equipment lothing
 aral protective and hygienic measures: away from foodstuffs, beverages and feed. adiately remove all soiled and contaminated contact with the solution of work. d contact with the skin. d contact with the eyes and skin. iratory protection: Not required. d protective gloves rial of gloves Rubber gloves tration time of glove material exact break trough time has to be found out to be found out for the solution. 	
away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated contained before breaks and at the end of work. I contact with the skin. I contact with the eyes and skin. I contact with the eyes and skin. I contact with the eyes and skin. I protection: Not required. I protection Protective gloves Protective gloves trail of gloves Rubber gloves tration time of glove material exact break trough time has to be found out to ved. Face protection	
ediately remove all soiled and contaminated c hands before breaks and at the end of work. d contact with the skin. d contact with the eyes and skin. iratory protection: Not required. d protection Protective gloves rial of gloves Rubber gloves tration time of glove material exact break trough time has to be found out b ved. face protection	
 hands before breaks and at the end of work. d contact with the skin. d contact with the eyes and skin. iratory protection: Not required. d protection Protective gloves rial of gloves Rubber gloves tration time of glove material exact break trough time has to be found out be ved. Face protection 	
d contact with the eyes and skin. iratory protection: Not required. I protection Protective gloves rial of gloves Rubber gloves tration time of glove material exact break trough time has to be found out b ved. Face protection	by the manufacturer of the protective gloves and has to b
iratory protection: Not required. I protection Protective gloves rial of gloves Rubber gloves tration time of glove material exact break trough time has to be found out to ved. Face protection	by the manufacturer of the protective gloves and has to b
I protection Protective gloves rial of gloves Rubber gloves tration time of glove material exact break trough time has to be found out be rved. Face protection	by the manufacturer of the protective gloves and has to b
Protective gloves rial of gloves Rubber gloves tration time of glove material exact break trough time has to be found out be rved. Face protection	by the manufacturer of the protective gloves and has to b
rial of gloves Rubber gloves tration time of glove material exact break trough time has to be found out b wed. face protection	by the manufacturer of the protective gloves and has to b
tration time of glove material exact break trough time has to be found out b ved. face protection	by the manufacturer of the protective gloves and has to b
Tightly sealed goggles	
CTION 9: Physical and chemical prop	
ral Information	Colourlass
ur: Ir:	Colourless Characteristic
ur: ur threshold:	Not determined.
ing point/freezing point:	Undetermined.
ng point or initial boiling point and boiling	
e	107 °C
mability	Not applicable.
er and upper explosion limit	
er:	0.0 U 10/
er:	0.9 Vol % 10.9 Vol %

 $1 \ ^{\circ}C$

310 °C

Not determined.

Not determined.

Not determined.

(Contd. on page 5)

GB

Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.12.2022

Version number 20 (replaces version 19)

Revision: 20.12.2022

Trade name: tapi-spot

		(Contd. of page 4
· Dynamic:	Not determined.	
· Solubility		
· water:	Not miscible or difficult to mix.	
· Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure at 20 °C:	8,300 hPa	
· Density and/or relative density		
· Density at 20 °C:	0.755 g/cm^3	
Relative density	Not determined.	
· Vapour density	Not determined.	
• 9.2 Other information		
· Appearance:		
· Form:	Aerosol	
· Important information on protection of health an	d	
environment, and on safety.		
Auto-ignition temperature:	Product is not selfigniting.	
• Explosive properties:	Not determined.	
· Solvent separation test:		
· Organic solvents:	100.0 %	
· Change in condition		
· Evaporation rate	Not applicable.	
· Information with regard to physical hazard classe	25	
· Explosives	Void	
· Flammable gases	Void	
· Aerosols		
Extremely flammable aerosol. Pressurised contained	er: May burst if heated.	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
• Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flammable		
gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.12.2022

Version number 20 (replaces version 19)

Revision: 20.12.2022

Trade name: tapi-spot

(Contd. of page 5)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- \cdot Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

64742-49-0 Naphtha (petroleum), hydrotreated light

Oral LD50 >2,000 mg/kg (Rat)

Dermal LD50 >2,000 mg/kg (Rat)

Inhalative LC50/4 h > 5 mg/l (Rat)

106-97-8 butane, pure

Inhalative LC50/4 h 658 mg/l (Rat)

- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- *Respiratory or skin sensitisation May cause an allergic skin reaction.*
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Toxic for aquatic organisms

(Contd. on page 7)

Page 7/9

×

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.12.2022

Version number 20 (replaces version 19)

Revision: 20.12.2022

Trade name: tapi-spot

(Contd. of page 6)

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Dispose of packaging according to regulations on the disposal of packagings.

14.1 UN number or ID number ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name ADR IMDG IATA	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOU AEROSOLS, MARINE POLLUTANT AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
Class Label	2.1 5F Gases. 2.1
IMDG	
Class Label	2.1 Gases. 2.1
IATA	2.1
Class	2.1 Gases.
Label	2.1
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user EMS Number:	Not applicable. F-D,S-U

Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Version number 20 (replaces version 19)

Revision: 20.12.2022

Trade name: tapi-spot

Printing date 20.12.2022

	(Contd. of page
Stowage Code	SW1 Protected from sources of heat.
-	SW22 For AEROSOLS with a maximum capacity of
	litre: Category A. For AEROSOLS with a capacity abov
	1 litre: Category B. For WASTE AEROSOLS: Categor
	C, Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of
	litre:
	Segregation as for class 9. Stow "separated from" class except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class
14.7 Maritime transport in bulk according	to IMO
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	(D)
IMDG	
Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALI
5	HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category

P3a FLAMMABLE AEROSOLS

E2 Hazardous to the Aquatic Environment

• Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

aliphatic hydrocarbons

perfumes (LIMONEN)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

(Contd. on page 9)

≥30%

<5%

⁻ GB

Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.12.2022

Version number 20 (replaces version 19)

Trade name: tapi-spot

	(Contd. of page 8)
H280 Contains gas under pressure; may explode if heated.	
H304 May be fatal if swallowed and enters airways.	
H315 Causes skin irritation.	
H317 May cause an allergic skin reaction.	
H331 Toxic if inhaled.	
H336 May cause drowsiness or dizziness.	
H400 Very toxic to aquatic life.	
H411 Toxic to aquatic life with long lasting effects.	
H412 Harmful to aquatic life with long lasting effects.	
· Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European	n Agreement Concerning the
International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINES: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Gas 1A: Flammable gases – Category 1A	
Aerosol 1: Aerosols – Category 1	
Press. Gas (Comp.): Gases under pressure – Compressed gas	
Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3	
Acute Tox. 3: Acute toxicity – Category 3	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
Skin Sens. 1B: Skin sensitisation – Category 1B	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Asp. Tox. 1: Aspiration hazard – Category 1	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
• * Data compared to the previous version altered.	